









L2 /L2+2 Lifted Model			
Electrical System		ES-L2	ES-L2+2
48V5KW	72V5KW		
Motor: KDS 48V5KW AC motor Electrical System : 48V Battery: 6 × 8V150AH Maintenance-free lead-acid batteries Charger: Intelligent Cart Charger 48V/18AH , Charging time≤8小时 Controller: 48V/350A With CAN communication DC: High Power Non-Isolated DC-DC 48V/12V-300W	Motor: KDS 72V5KW AC motor Electrical System: 72V Battery: 72V150AH Lithium iron phosphate(LiFePO4), CAN communication function and self-heating function Charger: Intelligent Cart Charger 72V17AH , Charging time≤9小时 Controller: 72V/350A With CAN communication DC: High Power Non-Isolated DC-DC 72V/12V-300W	Specification	
		Size Overall	
		2520*1340*2050mm	2950*1340*2130mm
		Bare Cart (without battery) Net Weight	
		≤395kg	≤465kg
		Rated Passenger	
		2 Passengers	4 Passengers
Comfortable Performance		Wheel Dis Front/Rear	Front1005mm/Rear1075mm
★IP66 advanced multimedia instrument, colourful auto-colour change buttons, Bluetooth function, with vehicle detection function ★BOSS Original IP66 Full Range Hi-Fi Speaker H065B (Voice-activated Lighting) ★USB+Type-c fast charging, ★First class seat (integral foam moulded seat cushion + solid colour premium microfibres leather) ★High-strength aluminium alloy oxidised non-slip flooring, corrosion and ageing resistant ★High-strength aluminium alloy wheels + DOT approved high-performance all-terrain tyres ★DOT certified anti-aging premium folding plexiglass; wide-angle centre mirror ★Premium car steering wheel + aluminium alloy base ★Advanced Automotive Painting Process		Front and Rear Wheelbase	1680mm
		Min Ground Clearance	170mm
		Min Turning Radius	3.2m
		Max Speed	≤25MPH
		Climbing Ability/Hill-Holding Ability	20% — 45%
		Safe Climbing Gradient	20%
		Safe Parking Slope Gradient	20%
		Endurance	60-80mile ( Normal road )
		Braking Distance	< 3.0m
<b>Suspension and brake system:</b> ★Frame: high-strength sheet metal frame; painting process: pickling + electrophoresis + spraying ★Front suspension: double swing arm independent front suspension + coil springs + cartridge hydraulic dampers. ★Rear suspension: Integral rear axle, 16:1 ratio Coil spring dampers + hydraulic cartridge dampers + wishbone suspension ★Brake system: 4-wheel hydraulic brakes, 4-wheel disc brakes + electromagnetic brakes for parking (with vehicle towing function) ★Steering system: bidirectional rack and pinion steering system, automatic backlash compensation function		<b>Personalisation:</b> ★Cushion: leather can be colour-coded, embossed (stripes, diamond), logo silkscreen/embroidery ★Wheels: black, blue, red, gold ★Tyres: 12" & 14" all-terrain tyres ★Sound bar: 4&6 channels with voice-activated ambient light hi-fi sound bar (host with Bluetooth function) ★Colour light: chassis & roof can be installed, seven-colour light strip + voice control + remote control ★Others: body & front LOGO; body colour; instrument on LOGO animation; hubcap, steering wheel, key can be customized LOGO (from 100 cars)	
Factory Configuration			
<b>Ceiling</b>			
Plastic sprayed black square tube frame + injection moulded one-piece canopy		standard	
<b>Front windscreen and wipers</b>			
DOT approved Anti-Aging Premium Folding Plexiglass		standard	
DOT approved toughened glass + wipers		optional	
<b>Seat belts</b>			
DOT approved two-point seat belts		standard	
<b>Body of automobile</b>			
Front cover, seat bucket, body, rear end injection moulded one-piece body covering parts; plastic sprayed black square tube roof columns		standard	
<b>Floors</b>			
Aluminium alloy profile anti-slip flooring, high strength structure, corrosion and ageing resistant		standard	
<b>Dashboard</b>			
Injection-moulded dashboard, waterproof two-position electric lock switch, single-arm combination switch, cup holder; USB+Type-c fast charging, USB+AUX audio input		standard	
<b>Display screen</b>			
IP66 advanced multimedia 5-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function		standard	
IP66 advanced multimedia 7-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function		optional	
<b>Sound system</b>			
BOSS Original, IP66 Full Range Hi-Fi Speaker H065B (Voice-activated light)		optional	
4&6-channel hi-fi sound bar with voice-activated ambient lighting (main unit with Bluetooth function)		optional	
<b>Seats</b>			
First class seat (integral foam moulded seat cushion + solid colour premium microfibres leather)		standard	
Upgraded colour separation with silkscreen		optional	
Basketball bag holder; plus 2 models, reverse seat reversible, storage box included		standard	
<b>Wheel</b>			
12" Aluminium High Strength Wheel 186-12INCH(-23)		standard	
14" Aluminium High Strength Wheel 186-14INCH(-23)		optional	
<b>Tyres</b>			
DOT Approved: All Terrain 23*10.5-12 (4 Ply Rated)/tyres; P334		standard	
DOT Approved: All Terrain 23*10-14 (4 Ply Rated)/tyres; WG03		optional	
<b>Mirrors</b>			
One manually adjustable, foldable exterior mirror on each side; wide-angle centre mirror		standard	
<b>Lights and warning signals</b>			
LED front combination lights (low beam, high beam, turn signal, daytime running light, position light)		standard	
LED rear tail light (brake light, position light, turn signal)		standard	
trombone		standard	
Reversing buzzer		optional	
<b>Colours &amp; Patterns</b>			
Standard colours (Forest Green, Ivory, Jewel Blue, Apple Red, Metallic Black, Crystal Grey)		standard	
Other colours		optional	
<b>Batteries</b>			
6×8V150AH Maintenance-free lead-acid batteries		standard	
72V150AH Lithium iron phosphate, with battery management system, CAN communication function and		standard	
48V-134AH Lithium iron phosphate, with battery management system, CAN communication function and		optional	
48V-100AH Lithium iron phosphate, with battery management system, CAN communication function		optional	
<b>Other</b>			
English front end tow hook		standard	
handheld diagnostic tool		optional	
Front Basket		optional	
built-in basket		optional	
GBR: Rear Bag Holder		optional	
Footrests for L models		optional	
CSA:Caddie stander		optional	
American style tow hook		optional	
Ball washer bracket (driver's side)		optional	
Cooler and bracket (passenger side)		optional	
Sand bottle (driver's side)		optional	
rake		optional	
<b>Severe weather protection</b>			
Rain curtain 1.6m		optional	
spherical cover (for a ball game)		optional	

L4 /L4+2 Lifted Model			
Electrical System		ES-L4	ES-L4+2
48V5KW	72V5KW		
Motor: KDS 48V5KW AC motor Electrical System : 48V Battery: 6 × 8V150AH Maintenance-free lead-acid batteries Charger: Intelligent Cart Charger 48V/18AH , Charging time≤8小时 Controller: 48V/350A With CAN communication DC: High Power Non-Isolated DC-DC 48V/12V-300W	Motor: KDS 72V5KW AC motor Electrical System: 72V Battery: 72V150AH Lithium iron phosphate(LiFePO4), CAN communication function and self-heating function Charger: Intelligent Cart Charger 72V17AH , Charging time≤9小时 Controller: 72V/350A With CAN communication DC: High Power Non-Isolated DC-DC 72V/12V-300W	Specification	
		Size Overall	
		3265*1340*2130mm	3695*1340*2130mm
		Bare Cart (without battery) Net Weight	
		≤485kg	≤560kg
		Rated Passenger	
		4人	6人
Comfortable Performance		Wheel Dis Front/Rear	Front1005mm/Rear1075mm
<ul style="list-style-type: none"> <li>★IP66 advanced multimedia instrument, colourful auto-colour change buttons, Bluetooth function, with vehicle detection function</li> <li>★BOSS Original IP66 Full Range Hi-Fi Speaker H065B (Voice-activated Lighting)      ★USB+Type-c fast charging,      ★First class seat (integral foam moulded seat cushion + solid colour premium microfibre leather)</li> <li>★High-strength aluminium alloy oxidised non-slip flooring, corrosion and ageing resistant</li> <li>★High-strength aluminium alloy wheels + DOT approved high-performance all-terrain tyres</li> <li>★DOT certified anti-ageing premium folding plexiglass; wide-angle centre mirror      ★Premium car steering wheel + aluminium alloy base</li> <li>★Advanced Automotive Painting Process</li> </ul>		Front and Rear Wheelbase	2436mm
		Min Ground Clearance	170mm
		Min Turning Radius	3.5m
		Max Speed	≤25MPH
		Climbing Ability/Hill-Holding Ability	20% — 45%
		Safe Climbing Gradient	20%
		Safe Parking Slope Gradient	20%
		Endurance	60-80mile ( Normal road )
		Braking Distance	< 3.5m
		<b>Suspension and brake system:</b> <ul style="list-style-type: none"> <li>★Frame: high-strength sheet metal frame; painting process: pickling + electrophoresis + spraying</li> <li>★Front suspension: double swing arm independent front suspension + coil springs + cartridge hydraulic dampers.</li> <li>★Rear suspension: Integral rear axle, 16:1 ratio Coil spring dampers + hydraulic cartridge dampers + wishbone suspension</li> <li>★Brake system: 4-wheel hydraulic brakes, 4-wheel disc brakes + electromagnetic brakes for parking (with vehicle towing function)</li> <li>★Steering system: bidirectional rack and pinion steering system, automatic backlash compensation function</li> </ul>	
<b>Factory Configuration</b>			
<b>Ceiling</b>			
Plastic sprayed black square tube frame + injection moulded one-piece canopy		standard	
<b>Front windscreen and wipers</b>			
DOT approved Anti-Aging Premium Folding Plexiglass		standard	
DOT approved toughened glass + wipers		optional	
<b>Seat belts</b>			
DOT approved two-point seat belts		standard	
<b>Body of automobile</b>			
Front cover, seat bucket, body, rear end injection moulded one-piece body covering parts; plastic sprayed black square tube roof columns		standard	
<b>Floors</b>			
Aluminium alloy profile anti-slip flooring, high strength structure, corrosion and ageing resistant		standard	
<b>Dashboard</b>			
Injection-moulded dashboard, waterproof two-position electric lock switch, single-arm combination switch, cup holder; USB+Type-c fast charging, USB+AUX audio input		standard	
<b>Display screen</b>			
IP66 advanced multimedia 5-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function		standard	
IP66 advanced multimedia 7-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function		optional	
<b>Sound system</b>			
BOSS Original, IP66 Full Range Hi-Fi Speaker H065B (Voice-activated light)		optional	
486-channel hi-fi sound bar with voice-activated ambient lighting (main unit with Bluetooth function)		optional	
<b>Seats</b>			
First class seat (integral foam moulded seat cushion + solid colour premium microfibre leather)		standard	
Upgraded colour separation with silkscreen		optional	
Basketball bag holder; plus 2 models, reverse seat reversible, storage box included		standard	
<b>Wheel</b>			
12" Aluminium High Strength Wheel 186-12INCH(-23)		standard	
14" Aluminium High Strength Wheel 186-14INCH(-23)		optional	
<b>Tyres</b>			
DOT Approved; All Terrain 23*10.5-12 (4 Ply Rated)/tyres; P334		standard	
DOT Approved; All Terrain 23*10-14 (4 Ply Rated)/tyres; WG03		optional	
<b>Mirrors</b>			
One manually adjustable, foldable exterior mirror on each side; wide-angle centre mirror		standard	
<b>Lights and warning signals</b>			
LED front combination lights (low beam, high beam, turn signal, daytime running light, position light)		standard	
LED rear tail light (brake light, position light, turn signal)		standard	
trombone		standard	
Reversing buzzer		optional	
<b>Colours &amp; Patterns</b>			
Standard colours (Forest Green, Ivory, Jewel Blue, Apple Red, Metallic Black, Crystal Grey)		standard	
Other colours		optional	
<b>Batteries</b>			
6×8V150AH Maintenance-free lead-acid batteries		standard	
72V150AH Lithium iron phosphate, with battery management system, CAN communication function and		standard	
48V-134AH Lithium iron phosphate, with battery management system, CAN communication function and		optional	
48V-100AH Lithium iron phosphate, with battery management system, CAN communication function		optional	
<b>Other</b>			
English front end tow hook		standard	
handheld diagnostic tool		optional	
Front Basket		optional	
built-in basket		optional	
GBR: Rear Bag Holder		optional	
Footrests for L models		optional	
CSA:Caddie stander		optional	
American style tow hook		optional	
Ball washer bracket (driver's side)		optional	
Cooler and bracket (passenger side)		optional	
Sand bottle (driver's side)		optional	
rake		optional	
<b>Severe weather protection</b>			
Rain curtain 1.6m		optional	
spherical cover (for a ball game)		optional	

C2 /C2+2 Club Car Model			
Electrical System		ES-C2	ES-C2+2
48V5KW	72V5KW		
Motor: KDS 48V5KW AC motor Electrical System : 48V Battery: 6 × 8V150AH Maintenance-free lead-acid batteries Charger: Intelligent Cart Charger 48V/18AH, Charging time:8小时 Controller: 48V/350A With CAN communication DC: High Power Non-Isolated DC-DC 48V/12V-300W	Motor: KDS 72V5KW AC motor Electrical System: 72V Battery: 72V150AH Lithium iron phosphate(LiFePO4), CAN communication function and self-heating function Charger: Intelligent Cart Charger 72V17AH, Charging time:9小时 Controller: 72V/350A With CAN communication DC: High Power Non-Isolated DC-DC 72V/12V-300W	Specification	
		Size Overall	
		2520*1340*1895mm	2950*1340*1975mm
		Bare Cart (without battery) Net Weight	
		≤365kg	≤435kg
		Rated Passenger	
		2人	4人
Comfortable Performance		Wheel Dis Front/Rear	Front 920mm/Rear 1015mm
*IP66 advanced multimedia instrument, colourful auto-colour change buttons, Bluetooth function, with vehicle detection function *BOSS Original IP66 Full Range Hi-Fi Speaker H065B (Voice-activated Lighting) *USB+Type-c fast charging. *First class seat (integral foam moulded seat cushion + solid colour premium microfibre leather) *High-strength aluminium alloy oxidised non-slip flooring, corrosion and ageing resistant *High-strength aluminium alloy wheels + DOT approved high-performance road tyres *DOT certified anti-ageing premium folding plexiglass; wide-angle centre mirror *Premium car steering wheel + aluminium alloy base *Advanced Automotive Painting Process		Front and Rear Wheelbase	1662mm
		Min Ground Clearance	100mm
		Min Turning Radius	3.0m
		Max Speed	≤20MPH
		Climbing Ability/Hill-Holding Ability	20% — 45%
		Safe Climbing Gradient	20%
		Safe Parking Slope Gradient	20%
		Endurance	60-80mile ( Normal road )
		Braking Distance	< 3.0m
Suspension and brake system: *Frame: high-strength sheet metal frame; painting process: pickling + electrophoresis + spraying *Front suspension: double swing arm independent front suspension + coil springs + cartridge hydraulic dampers. *Rear suspension: Integral rear axle, 16:1 ratio Coil spring dampers + hydraulic cartridge dampers + wishbone suspension *Brake system: 4-wheel hydraulic brakes, 4-wheel disc brakes + electromagnetic brakes for parking (with vehicle towing function) *Steering system: bidirectional rack and pinion steering system, automatic backlash compensation function		Personalisation: *Cushion: leather can be colour-coded, embossed (stripes, diamond), logo silkscreen/embroidery *Wheels: black, blue, red, gold *Tyres: 10" & 14" road tyres *Sound bar: 4&6 channels with voice-activated ambient light hi-fi sound bar (host with Bluetooth function) *Colour light: chassis & roof can be installed, seven-colour light strip + voice control + remote control *Others: body & front LOGO; body colour; instrument on LOGO animation; hubcap, steering wheel, key can be customized LOGO (from 100 cars)	
Factory Configuration			
Ceiling			
Plastic sprayed black square tube frame + injection moulded one-piece canopy			standard
Front windscreen and wipers			
DOT approved Anti-Aging Premium Folding Plexiglass			standard
DOT approved toughened glass + wipers			optional
Seat belts			
DOT approved two-point seat belts			standard
Body of automobile			
Front cover, seat bucket, body, rear end injection moulded one-piece body covering parts; plastic sprayed black square tube roof columns			standard
Floors			
Aluminium alloy profile anti-slip flooring, high strength structure, corrosion and ageing resistant			standard
Dashboard			
Injection-moulded dashboard, waterproof two-position electric lock switch, single-arm combination switch, cup holder; USB+Type-c fast charging, USB+AUX audio input			standard
Display screen			
IP66 advanced multimedia 5-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function			standard
IP66 advanced multimedia 7-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function			optional
Sound system			
BOSS Original, IP66 Full Range Hi-Fi Speaker H065B (Voice-activated light)			optional
4&6-channel hi-fi sound bar with voice-activated ambient lighting (main unit with Bluetooth function)			optional
Seats			
First class seat (integral foam moulded seat cushion + solid colour premium microfibre leather)			standard
Upgraded colour separation with silkscreen			optional
Basketball bag holder; plus 2 models, reverse seat reversible, storage box included			standard
Wheel			
10" Aluminium High Strength Wheel 186-10INCH(-15)			standard
14" Aluminium High Strength Wheel 186-14INCH(-23)			optional
Tyres			
DOT approved; road tyres 205/50-10 (4 Ply Rated)/tyres; WG02			standard
DOT approved: road tyres 215/35-14 (4 Ply Rated)/tyre; WR028			optional
Mirrors			
One manually adjustable, foldable exterior mirror on each side; wide-angle centre mirror			standard
Lights and warning signals			
LED front combination lights (low beam, high beam, turn signal, daytime running light, position light)			standard
LED rear tail light (brake light, position light, turn signal)			standard
trombone			standard
Reversing buzzer			optional
Colours & Patterns			
Standard colours (Forest Green, Ivory, Jewel Blue, Apple Red, Metallic Black, Crystal Grey)			standard
Other colours			optional
Batteries			
6×8V150AH Maintenance-free lead-acid batteries			standard
72V150AH Lithium iron phosphate, with battery management system, CAN communication function and			standard
48V-134AH Lithium iron phosphate, with battery management system, CAN communication function and			optional
48V-100AH Lithium iron phosphate, with battery management system, CAN communication function			optional
Other			
English front end tow hook			standard
handheld diagnostic tool			optional
Front Basket			optional
built-in basket			optional
GBR: Rear Bag Holder			optional
Footrests for L models			optional
CSA/Caddie stander			optional
American style tow hook			optional
Ball washer bracket (driver's side)			optional
Cooler and bracket (passenger side)			optional
Sand bottle (driver's side)			optional
rake			optional
Severe weather protection			
Rain curtain 1.6m			optional

C4 /C4+2 Club Car Model			
Electrical System		ES-C4	ES-C4+2
48V5KW	72V5KW		
Motor: KDS 48V5KW AC motor Electrical System : 48V Battery: 6 × 8V150AH Maintenance-free lead-acid batteries Charger: Intelligent Cart Charger 48V/18AH , Charging time≤8小时 Controller: 48V/350A With CAN communication DC: High Power Non-Isolated DC-DC 48V/12V-300W	Motor: KDS 72V5KW AC motor Electrical System: 72V Battery: 72V150AH Lithium iron phosphate(LiFePO4), CAN communication function and self-heating function Charger: Intelligent Cart Charger 72V17AH , Charging time≤9小时 Controller: 72V/350A With CAN communication DC: High Power Non-Isolated DC-DC 72V/12V-300W	Specification	
		Size Overall	
		3265*1340*1975mm	3695*1340*1975mm
		Bare Cart (without battery) Net Weight	
		≤455kg	≤530kg
		Rated Passenger	
		4人	6人
Comfortable Performance		Wheel Dis Front/Rear	Front 920mm/Rear 1015mm
★IP66 advanced multimedia instrument, colourful auto-colour change buttons, Bluetooth function, with vehicle detection function ★BOSS Original IP66 Full Range Hi-Fi Speaker H065B (Voice-activated Lighting) ★USB+Type-c fast charging, ★First class seat (integral foam moulded seat cushion + solid colour premium microfibres leather) ★High-strength aluminium alloy oxidised non-slip flooring, corrosion and ageing resistant ★High-strength aluminium alloy wheels + DOT approved high-performance road tyres ★DOT certified anti-aging premium folding plexiglass; wide-angle centre mirror ★Premium car steering wheel + aluminium alloy base ★Advanced Automotive Painting Process		Front and Rear Wheelbase	2418mm
		Min Ground Clearance	100mm
		Min Turning Radius	3.3m
		Max Speed	≤20MPH
		Climbing Ability/Hill-Holding Ability	20% — 45%
		Safe Climbing Gradient	20%
		Safe Parking Slope Gradient	20%
		Endurance	60-80mile ( Normal road )
		Braking Distance	< 3.5m
Suspension and brake system: ★Frame: high-strength sheet metal frame; painting process: pickling + electrophoresis + spraying ★Front suspension: double swing arm independent front suspension + coil springs + cartridge hydraulic dampers. ★Rear suspension: Integral rear axle, 16:1 ratio Coil spring dampers + hydraulic cartridge dampers + wishbone suspension ★Brake system: 4-wheel hydraulic brakes, 4-wheel disc brakes + electromagnetic brakes for parking (with vehicle towing function) ★Steering system: bidirectional rack and pinion steering system, automatic backlash compensation function		Personalisation: ★Cushion: leather can be colour-coded, embossed (stripes, diamond), logo silkscreen/embroidery ★Wheels: black, blue, red, gold ★Tyres: 10" & 14" road tyres ★Sound bar: 486 channels with voice-activated ambient light hi-fi sound bar (host with Bluetooth function) ★Colour light: chassis & roof can be installed, seven-colour light strip + voice control + remote control ★Others: body & front LOGO; body colour; instrument on LOGO animation; hubcap, steering wheel, key can be customized LOGO (from 100 cars)	
Factory Configuration			
Ceiling			
Plastic sprayed black square tube frame + injection moulded one-piece canopy		standard	
Front windscreen and wipers			
DOT approved Anti-Aging Premium Folding Plexiglass		standard	
DOT approved toughened glass + wipers		optional	
Seat belts			
DOT approved two-point seat belts		standard	
Body of automobile			
Front cover, seat bucket, body, rear end injection moulded one-piece body covering parts; plastic sprayed black square tube roof columns		standard	
Floors			
Aluminium alloy profile anti-slip flooring, high strength structure, corrosion and ageing resistant		standard	
Dashboard			
Injection-moulded dashboard, waterproof two-position electric lock switch, single-arm combination switch, cup holder; USB+Type-c fast charging, USB+AUX audio input		standard	
Display screen			
IP66 advanced multimedia 5-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function		standard	
IP66 advanced multimedia 7-inch instrumentation, colourful ambient auto-colour change buttons, Bluetooth function, with vehicle detection function		optional	
Sound system			
BOSS Original, IP66 Full Range Hi-Fi Speaker H065B (Voice-activated light)		optional	
486-channel hi-fi sound bar with voice-activated ambient lighting (main unit with Bluetooth function)		optional	
Seats			
First class seat (integral foam moulded seat cushion + solid colour premium microfibres leather)		standard	
Upgraded colour separation with silkscreen		optional	
Basketball bag holder; plus 2 models, reverse seat reversible, storage box included		standard	
Wheel			
10" Aluminium High Strength Wheel 186-10INCH(-15)		standard	
14" Aluminium High Strength Wheel 186-14INCH(-23)		optional	
Tyres			
DOT approved; road tyres 205/50-10 (4 Ply Rated)/tyres; WG02		standard	
DOT approved: road tyres 215/35-14 (4 Ply Rated)/tyre; WR028		optional	
Mirrors			
One manually adjustable, foldable exterior mirror on each side; wide-angle centre mirror		standard	
Lights and warning signals			
LED front combination lights (low beam, high beam, turn signal, daytime running light, position light)		standard	
LED rear tail light (brake light, position light, turn signal)		standard	
trombone		standard	
Reversing buzzer		optional	
Colours & Patterns			
Standard colours (Forest Green, Ivory, Jewel Blue, Apple Red, Metallic Black, Crystal Grey)		standard	
Other colours		optional	
Batteries			
6×8V150AH Maintenance-free lead-acid batteries		standard	
72V150AH Lithium iron phosphate, with battery management system, CAN communication function and		standard	
48V-134AH Lithium iron phosphate, with battery management system, CAN communication function and		optional	
48V-100AH Lithium iron phosphate, with battery management system, CAN communication function		optional	
Other			
English front end tow hook		standard	
handheld diagnostic tool		optional	
Front Basket		optional	
built-in basket		optional	
GBR: Rear Bag Holder		optional	
Footrests for L models		optional	
CSA:Caddie stander		optional	
American style tow hook		optional	
Ball washer bracket (driver's side)		optional	
Cooler and bracket (passenger side)		optional	
Sand bottle (driver's side)		optional	
rake		optional	
Severe weather protection			
Rain curtain 1.6m		optional	